

Different kinds of Go foods contain different nutrients.



Different kinds of Go foods contain different nutrients.

We should therefore eat different kinds of Go foods so that our bodies get more nutrients.



When we choose Go foods that contain other nutrients, we not only get energy, but additional vitamins, minerals and fiber for our bodies as well.



Too little intake of energy containing foods leads to undernutrition.



Too little intake of energy containing foods leads to undernutrition.

• One sign of undernutrition is being underweight.



Too little intake of energy containing foods leads to undernutrition.

- One sign of undernutrition is being underweight.
- Prolonged undernutrition leads to stunted growth, delayed development, and proneness to infection.



On the other hand, too much intake of energy-containing foods leads to overnutrition.



On the other hand, too much intake of energy-containing foods leads to overnutrition.

• One sign of overnutrition is being overweight.




On the other hand, too much intake of energy-containing foods leads to overnutrition.

- One sign of overnutrition is being overweight.
- Prolonged overnutrition leads to obesity, associated with higher risk for heart disease or diabetes.



To address undernutrition and overnutrition, one should follow the **Pinggang Pinoy**[®] guide for proper portions and types of food.





Those who are underweight should engage in physical activity to help build strong bones and muscles.





Those who are overweight should increase physical activity to burn calories and manage weight.

