

Republic of the Philippines

Department of Education

REGION V - BICOL

SCHOOLS DIVISION OFFICE OF CATANDUANES

BIDS AND AWARDS COMMITTEE

Request for Quotation for Goods and Services

Date: December 20, 2024

Purchase Request No.

: 2024-289

All Eligible Suppliers To:

Please quote your lowest price inclusive of VAT on the item/s listed below, subject to the Terms & Conditions of this Request for Quotation (RFQ) and submit your quotation duly signed by you or your authorized representative in the return envelope not later than the prescribed period. Do not forget to write the Quotation No./ Purchase Request (PR) No. in front of the envelope which you must seal, sign, and submit to ASDS Office, DepEd SDO Catanduanes, San Roque, Virac, Catanduanes.

For any clarification, you may contact us at telephone phone no. 052-8114063 or email address at bac.ctd@depdd.gov.ph.

Signature over Printed Name Canvasser_

TERMS & CONDITIONS

A. Submission of Requirements

- 1. All entries in the RFQ form must be accurate and legibly written. The RFQ and other requirements stated herein shall be submitted in a scaled envelope to the Bids & Awards Committee (BAC) at ASDS Office, DepEd SDO Catanduanes, San Roque,
- 2. Document requirements: (Suppliers who had contract/s with SDO Catanduanes previously and whose documents are still valid may no longer submit these)
 - a. Philgeps Registration
 - DTI/SEC Registration
 - Mayor's Permit/Business Permit
 - d. Tax Clearance Certificate
 - PCAB License (for Infrastructure Projects)

B. Evaluation of Quotations

- Quotation shall be compared and evaluated based on the following criteria:
 - Completeness of Submission
 - Compliance with Technical Specifications
 - c. Price (to be denominated in Philippine peso shall include all taxes, duties and/or levies payable). Quotations exceeding the Approved Budget for the Contract shall be rejected.
- In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the BAC shall adopt and employ "draw lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005.

- 1. The Supplier who submitted the lowest calculated responsive quotation shall be awarded the Purchase Order after evaluation
- 2. Prior to award, an Omnibus Sworn Statement must be submitted by the Supplier.
- 3. Once Purchase Order is awarded, the photocopy of bank account number of the Supplier's Company must be submitted (preferably Land Bank, if available)

D. Delivery

- Delivery of goods shall be made within 7 calendar days from the date of the receipt of the Purchase Order.
- The item/s shall be delivered according to the requirements specified in the Technical Specifications.

 Deliverables shall be delivered to the SDO Catanduanes or wherever the Project Site is defined, cost to the account of supplier. Risk and title pass from the supplier to the purchaser upon inspection, receipt and final acceptance of the goods at Project













Page 1 of 14

- Upon the delivery of goods to the project site, the supplier shall notify the purchaser and present the following documents:
 - Original and 4 copies of the Supplier's Invoice showing the goods description, quantity, unit price and total price. a.
 - Original and 4 copies of Delivery receipts b.
 - **Original Statement of Accounts** C.
 - Approved Purchase Order d.
 - C. Warranty Certificate

E. Instructions

- Supplier shall be responsible for the source(s) of its Goods/Equipment and shall make the deliveries in accordance with the schedule and specifications of the award or purchase order. Failure of the supplier to comply with this provision shall be a ground for cancellation of the award or purchase order issued to the supplier.
- Supplier shall pick-up the Purchase Order issued in its favor within three (3) calendar days from the date of receipt of notice. A telephone call, text message, email or use of messaging app shall constitute an official notice to the Supplier. Thereafter, if the Purchase Order remains unclaimed, the purchase shall be cancelled.
- Supplier who accepted a Purchase Order but failed to deliver the required Goods within the time called for in the purchase order shall be disqualified from participating in DepEd's future procurement activities. This is without prejudice to the imposition of other sanctions prescribed under RA 9184 and it's IRR against the supplier.
- Rejected deliveries shall be construed as non-delivery and shall be replaced by the Supplier subject to liquidated damages for delayed deliveries.
- All duties, excise taxes and revenue charges shall be paid by the Supplier.

 All transactions are subject to withholding of creditable Value Added Tax and/or Expanded Value Added Tax per revenue regulation(s) of the Bureau of Internal Revenue.
- All pages of the Request for Quotation shall be initialed by the bidder/supplier to ensure that terms and conditions were read and to protect the BAC from any insinuation of tampering with the said documents.

F. Inspection

To confirm their conformity to the technical specifications all deliveries by supplier shall be subject to inspection and acceptance by the DepEd Inspectorate team and the end-user. And, all costs of the necessary laboratory tests undertaken by DepEd on the goods shall be to the account of suppliers.

G. Liquidated Damages

A penalty of one-tenth of the percent (0.001) of the total value of the undelivered goods shall be charged as liquidated damages for every day delay of the delivery of the purchased goods. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity concerned may rescind the contract, without prejudice to other courses of action and remedies open to it.

H. Warranty

Warranty shall be for the period of six (6) months for supplies and materials and one year in case of equipment, reckoned from date of acceptance of the goods at project site.

Payment

One hundred percent (100%) of the contract price shall be paid to the Supplier after acceptance of the goods at project site and submission of the required supporting documents provided under letter D. Delivery.

The Bids and Awards Committee:

After having carefully read and accepted your Request for Quotation and its Terms and Conditions, I/We quote you on the item/s at price noted in this RFQ. The quotation shall be binding upon us for thirty (30) calendar days reckoned from the last day of submission indicated in the Submission Requirement. The corresponding Award or Purchase Order shall be accepted by us within 3 days from notification by DepEd SDO Catanduanes BAC.

Approved Budget of the Contract for this project: PhP 235,720.00


M NO.	ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	Procurement of Senior High School Technical Vocational Livelihood (TVL) Track Learning Tools and Equipment (LTE)						
1	Alarm clock, digital, Overall Dimensions: 13.5 x 8 x 4.5 cm (approx.) Material: Plastic (PE/ABS) Illuminated LCD Digital Display: Time (12/24), calendar (MM/DD), temperature, alarm status (ON/OFF), snooze Display Size: 10 x 5 cm (minimum), time can be read 30 ft day time. Runs on AAA battery which come together with the item Smooth surface, no sharp edges, Includes User's manual which contains operation procedure, name of parts, safety precautions, trouble shooting.	3	pc	433.75			







Page 2 of 14



M NO.	ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
2	Bib Apron, sleeveless adjustable neck loop Material: Polyester - Cotton Fabric Dimension: 70 to 60 cm (minimum) With 2 or 3 pockets Uni-color, dark No sharp edges and loose threads	4	pc	306.25	CORFEI		
3	3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions: Rectangular, 31 x 30 x 15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges	4	pc	260.00			
4	Bed Set, Queen Size (60 x 75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 20 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	2	pe	6163.75			
5	Bed, Single Size (W36 x L75 inch) rectangular 1) Frame: Knock-down type, all steel, powder coated including Head board, Bare weight: 13 kg (minimum) No wobble and noise 2) Comes with fabric covered foam 6 inches thick Foam Density: 29 -33 kg/cu.m. 3) No sharp edges	2	pc	1993.75			
6	TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE: STANDARD MATERIAL: 25 mm tubing approx., 0.8 mm thickness BOARD SIZE: 32 INCHES (minimum) BODY SIZE: 120 cm x 30 cm x 5 cm COLOR: ANY COMES WITH BOX NO SHARP EDGES	3	pc	777.50			
7	Upper material: Elastic PVC Sizes: 7 inches - 5pc 8 inches - 5pc 9 inches - 5pc 10 inches -5pc	25	pc	712.50			







San Roque, Virac, Catandwane

C 052-8114063

eatanduanes@deped.gov.ph

www.depedrovcatandsanes.com/www.catanduanes.deped.gov.ph

Page 3 of 14

M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	11 inches - 5pc Height: 13 to 14 inches Plain toe Type of boots: Unisex rain boots with rugged tractor lug outsole Packed with carton box per size						
8	Brush, floor scrubbing, angled long handle Bristle Material: Plastic, stiff Handle Material: metal tubular corrosion reistant, Overall Length: 120 cm. (minimum) Bristle Length: 5 cm (=/- 1cm) Scrubbing Surface: 25 x 6 cm (+/-1 cm) No sharp edges	3	рс	211.25			
9	Water bucket Bucket Material: Hard Plastic, round body Capacity: 10 to 12 Liters Handle Material: Steel Smooth and glossy surface, no sharp edges	3	pc	186.25			
10	Carrying caddy for toilet cleaning supplies Holds spray bottles and other cleaning supplies, No. of Compartments: 3 (minimum) Material :Plastic Tray Depth: 11 cm (approx.) Overall Dimension: 36 x 26 cm (approx.) Smooth surface, no sharp edges	3	pc	186.25			
11	Carpet sweeper, cordless electric Motorized single brush roll (removable) Body Material: Hard plastic ,(ABS) or its equivalent, any color Equipped with Rechargeable Battery (16 minutes run time on carpet), removable dirt box Sweep Width: 8 inches (minimum) Capacity (volume): 0.35 Lit.(minimum) Handle: Metal, Powder- Coated, With plastic/rubber grip, Swivel Steering Assembled Height: 44 inches (minimum) Comes with Battery Charger 220/240VAC, 50/60Hz with plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) No sharp edges Includes User's Manual which contains operation procedure, name of parts, safety precautions, trouble shooting.	4	рс	9375.00			
12	Housekeeping Cart trolley Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels Cart Frame: steel, powder coated	2	pc	4873.75			







San Roque, Viroc, Catandwane 052-6114063

eatanduanes@deped.gov.ph

www.depodrovcatandvanes.com/www.catandvanes.deped.gov.pt

Page 4 of 14

M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	Wheels: 2non-swivel 2 swivel, 6 inch diameter, non-markings Overall Dimensions: rectangular 90 x 48 x 1010 cm (minimum) Comes with accessory linen bag Smooth surface, No sharp edges						
13	Caution Sign, A shape-2 panel self standing, with D-handle, collapsible for easy storage Material: High impact plastic, Panel Dimension: Rectangular (LxW) 55-65 cm x 25 x 61 0m (minimum), Panel Depth: 2 cm (minimum) Color: Yellow Print Description: "CAUTION: WET FLOOR" on one side "CLEANING IN PROGRESS on the other side, both messages provided with graphics printed in black. Font Size: 100-120 mm x 50-70 mm, Arial Smooth surface, no sharp edges	5	pc	220.00			
14	Lint Free Cleaning Cloths Material: Cotton Dimensions: Rectangular 16 x 26 inch	2	pc	106.25			
15	Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate: Removable and Washable Filter Non-Drip Valve: Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz, 500W minimum Comes with a heat resistant glass pitcher With a 1 meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Smooth surface, no sharp edges With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1 year warranty parts and service With Service centers located in major cities in the Philippines	4	рс	1161.25			
16	Dust Pan, upright standing Material: Plastic Overall Length: 65 cm (minimum) Pan: Round back, 24 x 26 x 9 cm	2	рс	73.75			







San Roque, Virac, Catanduane

acatanduanes@deped.gov.pt

www.depedrovcatandvanes.com/www.catandvanes.deped.gov.p

Page 5 of 14

NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	(minimum) Smooth surface, no sharp edges						
17	Anti-static Duster Duster Material: Polypropylene Micro Fiber Duster: Length: 30 cm (minimum), Overall Length: 50 cm (minimum) Handle Material: Hard Plastic, no sharp edges	3	pc	206.25			
18	Stand fan, electric Material: Metal, plastic Size/Diameter: 18 inches Power rating: 70 watts (minimum), 220 / 240 VAC, 50 / 60 Hz, Single Phase Rotation Angle: 90 degrees Base: Stable, 16 inches diameter (approx.) Removable metal guard on front and rear 3-speed settings Comes with 1.5 meters power cord and with molded male plug to adapt Type A outlet (or providing 3A minimum plug adapter is an option) Smooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 1 year warranty parts and service	4	pc	1542.50			
19	1.For Type A, B, C Fire: Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity: 5 - 6 kgs 4.Rechargeable Cylinder Metal 5.Working pressure of Cylinder: 400 psi 6.Brass Valve with Pressure Gage 7.With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin 10.Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment	5	pc	2475.00			









catanduanes@deped.gov.pa

www.depedrovoatandeanes.com/www.catandeanes.deped.gov.ph

Page 6 of 14

M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	b. Safety precaution when using the equipment 12.1 year warranty parts and service 13. The item must be branded and have good quality						
20	Flashlight LED 1,000 Lumens (minimum), Color: White , Battery: Rechargeable, at least 3,500 mAh, Can be used also with 3 x AAA batteries; Body: Aluminum Alloy, no sharp edges Dimensions: 5 inches x 1 inch diameter (minimum) Operating Duration of Battery when fully Charged: at least 2 hours; Includes 220/240VAC, 50/60Hz Power Adapter /Charger and User's Manual in English which includes: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures Branded, With 1 year Warranty	3	pc	1998.75			
21	Clothes Flat iron, electric Material: Metal / plasic body, Heat- Resistant Plastic Handle, Aluminum sole Overall Dimension: (L x W x H) 25 cm x 12 cm x 12 cm (minimum) Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts (minimum) Equipped with Light Indicator, variable temperature control, Overheat Protection, Power Cord and plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges, Comes with English Manual that Contains: Users Guide, List of Parts, Maintenance Guide, Safety Guide. The item must be branded, with DTI- BPS certification 1 year Warranty Parts and Service With Service Centers Located in major Cities in the Philippines.	3	pc	411.25			
22	1. Material: Cellulose and a Scouring Pad on one Side 2. Dimension: Length: 140 - 180 mm; Width: 80 - 100 mm; Thickness: 12 -	2	рс	73.75			










atanduanes@deped.gov.pa

www.depedrovcatanduanes.com/www.catanduanes.deped.gov.ph

Page 7 of 14



M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	20 mm 3. The item must be of good quality						
23	1.Bucket / Tub Material : Hard Plastic, (PS) Polystyrene 2.Bucket / Tub Color : Any Color 3.Capacity (gallons) : 3 gal. (minimum) comes with a cover 4.The item must have good quality	4	pc	1000.00			
24	1.Heavy-duty Latex-free vinyl rubber gloves 2.Thickness: 4 mil 3.Color: Any Color 4.Size: Medium 5.Other features: Acid/solvent resistant. 6.The item must be of good quality	3	pc	50.00			
25	Safety goggles, Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm High impact resistant, ANSI "Z87" compliant Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust Adjustable head strap Shall bear mark Z87 embossed or engraved or etched on the item. Smooth surface, no sharp edges	3	pc	193.75			
26	Electric hairdryer, with concentrator nozzle Two heat setting and 1 speed (minimum) Rating: 220/240 VAC, 1200 W (minimum) Body Length including nozzle: 20 cm Folding handle design, with hanging ring Smooth surface, no sharp edges Branded, Brand name and electric rating permanently mark on the item, with DTI-BPS certification With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. With Service centers located in major cities in the Philippines. 1 year warranty(parts & service)	3	pc	935.00			
27	Water hose Material: PVC fiber reinforced, three (3) layers; Any color; Hose Length: 50 feet; Hose Diameter: 5/8 inches; Pressure capacity: 200 pounds per square inch (minimum); Fitted with male and female brass couplers (NH, 11.5 TPI)	3	pc	1436.25			








\$an Roque, Virae, Catandwane 052-8114063

eatanduanes@deped.gov.ph

www.depedrovoatandvanes.com/www.catandvanes.deped.gov.pl

Page 8 of 14



M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	for spray nozzle						
28	No sharp edges Electric kettle cordless (with pouring spout), hinged lid, detachable from and can rotate on its corded base Material: Round Stainless body, plastic handle, lid and base Capacity: 1.5 to 2 liter Automatic Shut - Off, with power indicator light Power rating: 220//240VAC, 50/60Hz, 1000 -1600 Watts Base with a 50 cm (minimum) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges; DTI-BPS certified Comes with English manual that contains: operation procedure, maintenance and safety guide. The item must be branded, Brand name and electrical ratings permanently mark on the item.	3	рс	521.25			
29	3 - bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions: Rectangular, 31 x 30 x 15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sharp edges	3	рс	412.50			
30	Emergency light, 2 heads LED Materials: metal, anti-rust coated Duration Time (2 heads): 5 hours (minimum) Automatically Light Up during Power Outage Overcharge and Over- discharge Protection Built - In AC Charger, power cord plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option) Battery Test Switch - External Safety Fuse Head: White LED 1W (minimum) 3.5 " Dome Reflector Power rating: 220 -240 VAC, 50/60 Hz 20-24 Hours Charge Time Dimensions: Rectangular 27 x 7 x 27	4	рс	782.50			







San Roque, Viroc, Catanduane 052-8114063

cotanduanes@deped.gov.pa

www.depedrovoatanduanes.com/www.catanduanes.deped.gov.ph

Page 9 of 14

M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	cm (approx.) Sooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures The item must be branded, Brand name and electrical ratings permanently mark on the item.						
31	Wall mirror with frame Flat Glass mirror, 2 mm thick (minimum), Clear with no distortion Frame: Wood or Plastic commercial finish Rectangular shape, 3600 sq.cm (minimum) Includes mounting accessories Smooth surface, no sharp edges	3	pc	1498.75			
32	Mop, handle and mop head set, refillable head Handle: Aluminum or anti-rust coated steel, with hard/stiff plastic mop head holder, clip type with tightening knob Overall Handle Dimension: 130 x 19 cm (minimum) Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16 x 4 cm (minimum), White Handle: Plated Steel Tube or Wood, Length: 40 (minimum), No sharp edges	3	pc	262.50			
33	Electric floor polisher with accessories Material: Stainless steel, Aluminum Alloy Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever Size/Capacity:13 inch (minimum) diameter Power Supply: 220/240 VAC, 50/60 Hz. Power: 1/3 Hp (minimum) Rotation Speed: 160 rpm (minimum) Heavy duty (Royal) Power Cord Length: 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option) With pair of Rubber Wheels, Smooth surface, no sharp edges Comes with pad holder, 2 pc - polishing brush and 3 pc - floor polishing pads	3	pc	4768.75			









catanduanes@deped.gov.ph

www.depedrovcatandwanes.com/www.catandwanes.deped.gov.pl

Page 10 of 14

M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures Branded, Brand name and electric rating permanently mark on the item, With 1 year Warranty Parts and Service The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.						
34	Shelving, open, knockdown type, adjustable shelves Metal Powder Coated frame Number of Shelves: 5 Overall Dimensions: 85 x 30 x 180 cm(minimum) Sturdy connection, No wobble Smooth surface, no sharp edges	4	pc	886.25			
35	Dish Sponge, cellulose, non-scratch Dimensions: 5 x 3 x 1 inch (minimum) Branded	3	рс	56.25			
36	Barber/Salon Spray Gun Material: HDPE Transparent Plastic Capacity: 300 ml.(minimum) Trigger type Sprayer Dimension: Diameter :7 cm. x Height: 16.3 cm (minimum) Rotating nozzle to adjust spray patterns Smooth surface, no sharp edges Must be branded	4	pc	43.75			
37	Squeegee, short handle Head/Blade Material: stainless, rubber Handle: plastic or stainless steel Blade Length: 25 - 30 cm Overall length (handle and head) 20 - 32 cm No sharp edges	3	pc	165.00			
38	Mop bucket with squeezer/wringer and wheels Hand lever to squeeze, made of metal, with hand grip Material: Hard Plastic, (PS) Polystyrene or its equivalent Capacity: 30 L (minimum) Overall Dimension (excluding handle: (L x W x H) 40 x 27 x 57 cm (minimum) Color: Yellow With 3 inches non-marking rubber casters	3	рс	2672.50			










catanduanes@deped.gov.ph

www.depedrovcatandeanes.com/www.catandeanes.deped.gov.ph

Page 11 of 14



M NO.	. ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	"CAUTION" printed in black on both sides of the mop bucket						
	Smooth surface, no sharp edges						
	Step ladder Material: aluminum U						
39	channel Capacity: 250 lbs (minimum) Type: Flatform type Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum) Width: 15 inches minimum Spread: 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes: a. parts manual with labels,	3	pc	1481.25			
40	Electric vacuum cleaner, wet and dry function, sucks even screws, with 4 swivel caster wheels Material: Hard Plastic, (ABS) or rust proof body equivalent Power Supply: 220/240VAC, 50/60Hz, 1000 Watts (minimum) Auto shut off Tank Capacity: 20 Liters (minimum) Equipped with complete accessories i.e., detachable Vacuum Hose assembly (flexible non-kink), extension tubes/wands, carpet (long square) brush nozzle, wet and dry floor brush nozzle, crevice nozzle, hepa filter, sponge filter/washable cloth bag. Comes with 4 meters (minimum) heavy duty (royal) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. The item must be branded, Brand name and electric rating permanently mark on the item. 1 year warranty parts and service With Service centers located in major cities in the Philippines. The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA,	3	pc	2707.50			
41	Europe or in Japan market. 1. Front Load Electric Washer, laundry	_		04007.50			
41	2. Electronic control, digital indicator	2	pc	24987.50			










San Roque, Virac, Catandwane

052-8114061

actanduanes@deped.gov.pl

www.depedrovcatanduanes.com/www.catanduanes.deped.g

Page 12 of 14



M NO.	ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE
	display, transparent glass door 3. Body Material: steel, powder coated, Any Color 4. Dimensions (WxDxH): 590 mm (minimum) x 490 mm (minimum) x 820 mm (minimum) 5. Drum Material: Stainless Steel 6. Capacity: 8 kg (minimum) 7. Spin Speed: 1200 rpm (minimum) 8. Power rating: 220 / 240VAC, 50/60 Hz. 9. Comes with a 1 meter (minimum) heavy duty power cord with male plug to adapt Type A outlet (or providing 20A plug adapter is an option) 10. Smooth surface, no sharp edges 11. With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item 9.Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures 12. The item must be branded, DTI-BPS certified, 1 year warranty parts and service 13. With Service centers located in major cities in the Philippines. 14. The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market. White board, floor standing, rolling						
42	Board: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cm Smooth surface, no sharp edges	3	рс	580.00			










ectanduanes@deped.gov.pa

www.depedrovcatandvanes.com/www.catandvanes.deped.gov.ph

Page 13 of 14



M NO.		ITEM DESCRIPTION	QTY	UNIT	ESTIMATED UNIT PRICE	State COMPLY or NOT COMPLY	UNIT PRICE	TOTAL PRICE	

Note: Any interlineations, alteration/ erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative (s.

TIN		
Email:		
Date:		











14 of 14 Page

